



Version 2 Cabins



Version 3 Cabins

GENERAL SPECIFICATIONS

• L.O.A	10,34 m	33'11"
• Hull length	9,99 m	32'9"
• L.W.L.	9,35 m	30'8"
• Beam	3,65 m	11'12"
• Lightweight	5 620 kg	12,386 lbs
• Draught standard		
Deep draught keel Cast iron	1,82 m	5'12"
• Draught Optional equipment		
Shallow draught keel Cast iron	1,37 m	4'6"
• Air draught	15,25 m	50'
• Freshwater capacity	290 l	77 US Gal
• Fuel capacity	130 l	34 US Gal
• Engine power	29 HP	29 HP

ARCHITECT / DESIGNERS

- Naval Architect: Finot - Conq And associs
- Interior design: Nauta Design

EC CERTIFICATE

	Versions Deep draught keel (standard)	Versions Shallow draught keel (optional)
Category A	6	-
Category B	7	7
Category C	8	8
Category D	10	10

STANDARD SAIL LAYOUT AND AREA

• Mainsail (classic)	30,00 m ²	323 sq ft
• Genoa (105 %)	32,00 m ²	344 sq ft
• Asymmetric spinnaker	68,30 m ²	735 sq ft
• I	12,88 m	42'3"
• J	4,18 m	13'9"
• P	12,10 m	39'8"
• E	3,90 m	12'10"

STANDARD EQUIPMENT

CONSTRUCTION

- Design made following European Directive requirements and according to EC certification
- Monolithic hull design in polyester
- Monolithic structural counter moulding laminated and bonded to the hull
- Deck in sandwich (glass fibre and balsa wood) - Diamond tip type non-slip covering
- Hull-deck join screwed, bonded and trimmed with 1 PVC bulwark
- Cast iron keel fixed with bolts and stainless steel backing plates
- Hung rudder with stainless steel stock
- White coloured hull - Grey metal hull decoration

DECK EQUIPMENT

RIGGING

- Standard mast 9/10 electro-polished aluminium installed on the deck, 2 levels of advanced cross trees
- Anodised aluminium boom
- Discontinuous stainless steel standing rigging (Forestay - Side shrouds - Backstay)
- 2 Backstays with turnbuckles
- 1 Standard fore stay
- 1 Rigid kicking strap with tackle
- 1 Genoa furling system with drum on the deck
- 2 Mainsail sheet bolts
- 2 genoa tracks with piston adjusted traveller cars - 2 Genoa sheet return blocks
- Rigging run back to cockpit (except boom topping lift - Foot tuning line)
- Complete running rigging: 1 Main halyard - 1 Genoa halyard with clutch on mast and cleat - 1 Boom topping lift with cleat on mast - 1 Mainsail foot - 1 Main sheet - 2 Genoa sheets - 2 fast reefing ropes
- 5 clutches to port
- 3 Jamming cleats

WINCHES

- 2 Self-tailing genoa sheet winches (H40.2 STC)
- 1 Rigging winch self tailing on deck house port side (H35.2 STC)
- 2 Aluminium winch handles Speed grip
- 2 Winch handle boxes

SAILS

- 1 Furling genoa with UV protective strip
- 1 Classical mainsail, written, half-battened with slider
- System Lazy Jack and Lazy Bag in Natural colour

MOORING -ANCHORING

- Self-bailing chain locker - Clench bolt - Hatch cover
- Single roller stainless steel bow fitting
- Mechanically welded stainless steel roller
- 6 Aluminium mooring cleats - Stainless steel deck line protection

SAFETY ON DECK

- Stainless steel pulpit 2 sections
- 2 Stainless steel aft pushpits
- 1 Ring lifebuoy bracket
- 1 Flag pole socket
- Double stainless steel guardrails, Stainless steel stanchions

COCKPIT

Self-draining cockpit in polyester

- 1 Wet locker to port (Life raft storage, Gas box 2 bottles)
- 1 Starboard locker (Sail locker)
- 1 Locker next to tiller seat to starboard
- Natural solid wood slatted cockpit benches
- 1 Steering wheel console: Leather covered steering wheel (900 mm / 2'11" diameter) - 1 Rudder system on column - 1 metal cable transmission system - 1 Stainless steel handrail - navigation instrument stand (optional instruments) - 1 Compass on binnacle
- Engine control - Control panel to starboard
- 1 Deck hole for access to tiller system - 1 Emergency tiller
- Companionway hatch and door in PMMA

AFT TRANSOM

- Vertical opening access door assisted by gas piston Stainless steel
- 1 Stainless steel swimming ladder
- 1 Cockpit shower spray cold water

INTERIOR

- Woodwork Alpi Mahogany
- Parquet type laminated floors
- Hull spar ceilings in cabins and saloon
- Fabric upholstery

COMPANIONWAY

- Headroom: 1,88 m / 6'2"
- Companionway and steps in polyester
- 2 Stainless steel handrails (Version 2 aft cabin(s)) - 1 Stainless steel handrails (Version 1 aft cabin)
- 1 Fixed zenithal window with curtain
- Perfection Ivory Cushions (Saloon)

FORWARD CABIN

- Headroom: 1,77 m / 5'10"
- Central double bed (2,05 x 1,80 m - 0,35 m / 6'9" x 5'11" - 1'2") - 1 Marine mattress
- Double cupboard (Hanging locker - Shelf) - Cubby hole lockers - Storage
- 1 Opening hatch with curtain

SALOON

- Headroom: 1,84 m / 6'
- U shaped saloon bench to port, double density foam
- 1 Starboard bench seat
- 4 Matching decorative cushions
- Saloon table with wooden mounting
- Cubby hole lockers - Bar storage space - Storage space along the hull - Storage under bench seats
- 1 Port side window with curtain
- 2 opening porthole in side window To port
- 1 Starboard side window with curtain
- 2 opening porthole in side window To starboard (2 cabin version)
- 1 opening porthole in side window To starboard (3 cabin version)
- 2 Hull portholes with curtain
- 1 Opening deck hatch with curtain

GALLEY TO PORT

- Headroom: 1,85 m / 6'1"
- L-shaped kitchen
- Compact grey laminated worktop
- 2 Rectangular stainless steel sinks
- 1 Mixer tap cold water / hot under pressure
- 1 2 hob gas cooker on mounting - Stainless steel protection handrail
- 1 Fridge 110 l front opening - 12 V Refrigeration unit
- 1 Dresser with drain system - Closure / Cutting board
- Cupboard - Fitted storage space and lockers
- 1 Bin
- 1 Porthole opening onto coaming in side window

CHART TABLE TO STARBOARD

- Facing companionway
- Chart table with flaps and glove boxes- Moulded wood beading
- Pivoting electrical panel enabling access to electrical connections
- 1 White light fitting / Red
- Storage cupboards and lockers with crockery rack
- 1 Opening porthole in side window

STARBOARD AFT HEAD COMPARTMENT

- Headroom: 1,80 m / 5'11"
- Access through saloon
- Washroom moulded in one piece to be watertight
- Shower tray
- Worktop with washbasin
- 1 Mixer tap / Shower hot / cold water
- 1 Manual marine toilet
- 1 Rigid holding tank 80L / 21 US Gal
- 1 Mirror
- Toilet accessories
- Storage cupboard and lockers (1 In version 3 Cabins - 2 In version 2 Cabins)
- 1 Opening porthole with curtain
- 1 Opening porthole in side window (3 cabin version)
- 1 Opening porthole with curtain on the cockpit end wall (2 cabin version)

AFT CABINS

Version 1 forward cabin - 2 Aft cabins - 1 Toilet

- Headroom: 1,90 m / 6'3"
- 2 Symmetrical aft cabins with larger access to port cabin including:
 - Headroom: 1,94 m / 6'4" about
 - Double bed (2,00 x 1,45 m - 1,00 m / 6'7" x 4'9" - 3'3") - Marine mattress
 - 1 Hanging locker
 - 1 Opening porthole with curtain
 - 1 Opening porthole with curtain on the cockpit end wall

Version 1 forward cabin - 1 AFT cabin - 1 Toilet

- Headroom: 1,90 m / 6'3"
- 1 Double bed (1,80 m - 2,10 x 1,60 m / 5'11" - 6'11" x 5'3") - Marine mattress
- Bench seat - Bed access sideboard
- Hanging locker - Storage - Glove box
- 1 Opening porthole with curtain
- 1 Opening porthole with curtain on the cockpit end wall

ENGINE

- Engine Yanmar Diesel 29 hp / HP
- Engine control - fitted in cockpit
- Engine compartment: Soundproofing foam - Ventilation: 1 air intake and 1 pressured air outlet
- 1 Alternator coupled to engine (80 Amperes)
- 1 Rotation moulded diesel tank 130 L / 34 US Gal (under starboard aft berth) - Electronic gauge - Low level alarm - 1 Deck filler
- Filters: Sea water - Diesel - Decanter
- Stainless steel shaft line - Polyester guard moulded into hull
- Fixed three blade propeller
- 1 Engine access through companionway (opening with 2 gas pistons)
- 2 Engine access through aft cabins (3 cabin version) or in the washroom and the aft cabin (2 cabin version)

ELECTRICITY

- 12 V circuit
- 1 70 Amperes service battery - 1 70 Amperes engine battery
- 1 Charge divider
- 12 V Electrical panel (Fuses - Voltmeter - 1 Water gauge - 1 Fuel gauge - 1 Low battery charge warning - 1 Low diesel and water tank warning)
- 1 12 V Cigar lighter socket
- Lighting: Fittings blanks - Overhead lights: Lights LED - 1 White/red light fitting
- Navigation lights: 1 Three-colour lights on masthead - 1 Fire bicolor half-mast
- Wire runs for options cables

PLUMBING

- 2 Roto moulded freshwater tanks (130 L / 34 US Gal port aft cabin - 160 L / 42 US Gal forward cabin) - 2 Stainless steel water deck fillers - Separate tank filling - Tank selection with ¼ by-pass valves
- Pressurised electric water pump - Accumulator tank - Inline filter
- 1 25 L / 7 US Gal Electric water heater (engine run)
- 1 Rigid holding tank 80L / 21 US Gal
- Electric shower drain pump
- 1 Manual bilge pump - 1 Electric bilge pump
- 1 Electric dresser drain pump

GAS

- 2 Gas bottle boxes in the cockpit
- Pressure reducing valve and safety tap

TRIM LEVEL

	AVANTAGE	ELEGANCE
1 Display SIMRAD IS 20 GRAPHIC (Loch, Speedometer, Depth sounder)	■	■
1000 W Electric windlass - Remote control	■	■
High cupboards along hull in forward cabin	■	■
De luxe saloon table	■	■
Radio CD player / MP3 - 2 Interior loudspeakers - 2 Outside loudspeakers	■	■
LED: Navigation lights - Interior lighting	■	■
Complete 220V electrical system (Inside sockets - 25 Amperes battery charger - Shore power socket)	■	■
1 70 amperes additional service batterie	■	■
Hot/cold water cockpit shower hose		■
Companionway steps covered in wood		■
Leather covering on stainless steel guardrails - Stainless steel beading cubby hole lockers on high		■
Freshwater / Seawater foot pump		■
Mirror on forward partition of fore cabin		■
1 Additional mirror in toilet closet (3 cabin version)		■
2 Additional mirrors in toilet closet (2 cabin version)		■
Delayed shower draining		■
1 Additional opening cockpit porthole to port in aft cabin		■
1 Opening aft platform porthole to port in aft cabin		■
Mosquito blinds / Blackouts on deck hatches		■

OPTION PACK

	DOCKING	ELECTRONIC SIMRAD
Side openings in guardrails	■	
Additional bow roller	■	
White PCV steering wheel and console covers	■	
Moorings, Anchoring, Fenders	■	
1 Display IS20 WIND (Windvane anemometer)		■
PC interface at chart table - Connection cable		■
Steering console: Multifunction color touchscreen NSS8 LED 8' (GPS - Chart plotter - Chart reader for preloaded Navionics Silver cartography - supplied without chart)		■

OTHER OPTIONS

- Steel blue colour hull - Hull decorated in pearl grey
- Electropolished mast furling system with main sail
- windex Windvane
- Flag halyards
- Asymmetric spinnaker
- Easy Sail (Genoa traveller adjustment from cockpit - Clutches on genoa sheet blocks - Backstay adjustment)
- Mainsail sheet track on deck house
- 3 retractable blades propeller
- Rope cutter
- Cockpit bottom and rear platform decked in natural solid wood
- Catwalks decked in natural solid wood
- Shore freshwater supply
- Outboard engine bracket
- Solid wood cockpit table - Cover and lamp
- coachroof sprayhood
- Electric toilet
- Cockpit Bimini
- PVC cockpit cushions
- Auto pilot SIMRAD AP24 - Included gyrocompass
- VHF SIMRAD RS25 DSC
- Berth in saloon
- Microwave oven (Version 2 cabin)
- Heating
- Porthole mosquito nets