



Version 2 Cabins



Version 3 Cabins

## GENERAL SPECIFICATIONS

• L.O.A	10.34 m
• Hull length	9.99 m
• L.W.L.	9.35 m
• Beam	3.65 m
• Lightweight	5 620 kg
• Draught Standard Deep draught keel Cast iron	1.82 m
• Draught Optional equipment: Shallow draught keel Cast iron	1.37 m
• Air draught	15.25 m
• Freshwater capacity	290 l
• Fuel capacity	130 l
• Engine power	29 HP

## ARCHITECT / DESIGNERS

- Naval Architect: Finot - Conq And associs
- Interior design: Nauta Design

## EC CERTIFICATE

	Versions Deep draught keel (Standard)	Versions Shallow draught keel (optional)
Category A	6	-
Category B	7	7
Category C	8	8
Category D	10	10

## STANDARD SAIL LAYOUT AND AREA

• Mainsail (classic)	30.00 m <sup>2</sup>
• Genoa (105 %)	32.00 m <sup>2</sup>
• Asymmetric spinnaker	68.30 m <sup>2</sup>
• I	12.88 m
• J	4.18 m
• P	12.10 m
• E	3.90 m

## STANDARD EQUIPMENT

### CONSTRUCTION

- Design made following European Directive requirements and according to EC certification
- Monolithic hull design in polyester
- Monolithic structural counter moulding laminated and bonded to the hull
- Deck in sandwich (glass fibre and balsa wood) - Diamond tip type non-slip covering
- Deck hull join banded and screwed, with 1 solid wood toerail
- Cast iron keel fixed with bolts and stainless steel backing plates
- Hung rudder with stainless steel stock
- White coloured hull - Hull decorated in pearl grey

### DECK EQUIPMENT

#### RIGGING

- Standard mast 9/10 electro-polished aluminium installed on the deck, 2 levels of advanced cross trees
- Anodised aluminium boom
- Discontinuous stainless steel standing rigging (Forestay - Side shrouds - Backstay)
- 2 Backstays with turnbuckles
- 1 Standard fore stay
- 1 Rigid boom vang
- 1 Genoa furling system with drum on the deck
- 2 Mainsail sheet bolts
- 2 genoa tracks with piston adjusted traveller cars - 2 Genoa sheet return blocks
- Rigging run back to cockpit (except boom topping lift - Foot tuning line)
- Complete running rigging: 1 Main halyard - 1 Genoa halyard with clutch on mast and cleat - 1 Boom topping lift with cleat on mast - 1 Mainsail foot - 1 Main sheet - 2 Genoa sheets - 2 fast reefing ropes
- 5 clutches to port
- 3 Jamming cleats

#### WINCHES

- 2 Self-tailing genoa sheet winches (H40.2 STC)
- 1 Rigging winch self tailing on deck house port side (H35.2 STC)
- 1 Aluminium Speed grip winch handle
- 2 Winch handle boxes

#### SAILS

- 1 Furling genoa with UV protective strip
- 1 Classical mainsail, written, half-battened with slider
- System Lazy Jack and Easy bag in Perle colour

#### MOORING - ANCHORING

- Self-bailing chain locker - Clench bolt - Hatch cover
- Single roller stainless steel bow fitting
- Mechanically welded stainless steel roller
- 6 Aluminium mooring cleats - Stainless steel deck line protection

#### SAFETY ON DECK

- Stainless steel pulpit 2 sections
- 2 Stainless steel aft pushpits
- 1 Ring lifebuoy bracket
- 1 Flag pole socket
- Double stainless steel guardrails, Stainless steel stanchions

#### COCKPIT

Self-draining cockpit in polyester

- 1 Wet locker to port (Life raft storage, Gas box 2 bottles)
- 1 Starboard locker (Sail locker)
- 1 Locker next to tiller seat to starboard
- Natural solid wood slatted cockpit benches
- 1 Steering wheel console: Leather covered steering wheel ( 900 mm diameter) - 1 Rudder system on column - 1 metal cable transmission system - 1 Stainless steel guard rail - navigation instrument stand (optional instruments) - 1 Compass on binnacle
- Engine control - Control panel to starboard
- 1 Deck hole for access to tiller system - 1 Emergency tiller
- Companionway hatch and door in PMMA

#### AFT TRANSOM

- Vertical opening access door assisted by gas piston Stainless steel
- 1 Stainless steel swimming ladder
- 1 Cockpit shower spray cold water

### INTERIOR

- Woodwork Alpi Mahogany
- Parquet type laminated floors
- Hull spar ceilings in cabins and saloon
- Fabric upholstery

#### COMPANIONWAY

- Headroom: 1.88 m
- Companionway and steps in polyester
- 2 Stainless steel handrails (Version 2 aft cabin(s)) - 1 Stainless steel handrails (Version 1 aft cabin)
- 1 Fixed zenital window with curtain
- Perfection Ivory Cushions (Saloon)

#### FORWARD CABIN

- Headroom: 1.77 m
- Central double bed (2.05 m x 1.80 m x 0.35 m) - 1 Marine mattress
- Double cupboard (Hanging locker - Shelf) - Cubby hole lockers - Storage
- 1 Opening hatch with curtain

#### SALOON

- Headroom: 1.84 m
- U shaped saloon bench to port, double density foam
- 1 Starboard bench seat
- 4 Matching decorative cushions
- Saloon table with wooden mounting
- Cubby hole lockers - Bar storage space - Storage space along the hull - Storage under bench seats
- 1 Port side window with curtain
- 2 opening porthole in side window To port
- 1 Starboard side window with curtain
- 2 opening porthole in side window To starboard (2 cabin version)
- 1 opening porthole in side window To starboard (3 cabin version)
- 2 Hull portholes with curtain
- 1 Opening deck hatch with curtain

## GALLEY TO PORT

- Headroom: 1.85 m
- L-shaped kitchen
- White laminated worktop
- 2 Rectangular stainless steel sinks
- 1 Mixer tap cold water / hot under pressure
- 1 2 hob gas cooker on mounting - Stainless steel protection handrail
- 1 110 liter refrigerator front opening - 12 V Refrigeration unit
- 1 Dresser with drain system - Closure / Cutting board
- Cupboard - Fitted storage space and lockers
- 1 Bin
- 1 Porthole opening onto coaming in side window

## CHART TABLE TO STARBOARD

- Facing companionway
- Chart table with flaps and glove boxes- Moulded wood beading
- Pivoting electrical panel enabling access to electrical connections
- 1 White light fitting / Red
- Storage cupboards and lockers with crockery rack
- 1 Opening porthole in side window

## STARBOARD AFT HEAD COMPARTMENT

- Headroom: 1.80 m
- Access through saloon
- Washroom moulded in one piece to be watertight
- Shower tray
- Worktop with washbasin
- 1 Mixer tap / Shower hot / cold water
- 1 Manual marine toilet
- 1 Rigid holding tank 80 L
- 1 Mirror
- Toilet accessories: Bin - Paper dispenser - Peg - Towel rail
- Storage cupboard and lockers (1 In version 3 Cabins - 2 In version 2 Cabins)
- 1 Opening porthole with curtain
- 1 Opening porthole in side window (3 cabin version)
- 1 Opening porthole with curtain on the cockpit end wall (2 cabin version)

## AFT CABINS

### Version 1 forward cabin - 2 Aft cabins - 1 Toilet

- Headroom: 1.90 m
- 2 Symmetrical aft cabins with larger access to port cabin including:
  - Headroom: 1.94 m about
  - Double bed (2.00 m x 1.45 m x 1.00 m) - Marine mattress
  - 1 Hanging locker
  - 1 Opening porthole with curtain
  - 1 Opening porthole with curtain on the cockpit end wall

### Version 1 forward cabin - 1 AFT cabin - 1 Toilet

- Headroom: 1.90 m
- 1 Double bed(1.80 m to 2.10 M x 1.60 m) - Marine mattress
- Bench seat - Bed access sideboard
- Hanging locker - Storage - Glove box
- 1 Opening porthole with curtain
- 1 Opening porthole with curtain on the cockpit end wall

## ENGINE

- Engine Yanmar Diesel 29 hp
- Engine control - fitted in cockpit
- Engine compartment: Soundproofing foam - Ventilation: 1 air intake and 1 pressured air outlet
- 1 Alternator coupled to engine (60 Amperes)
- 1 Rotation moulded diesel tank 130 L (under starboard aft berth) - Electronic gauge - Low level alarm - 1 Deck filler
- Filters: Sea water - Diesel - Decanter
- Stainless steel shaft line - Polyester guard moulded into hull
- Fixed three blade propeller
- 1 Engine access through companionway (opening with 2 gas pistons)
- 2 Engine access through aft cabins (3 cabin version) or in the washroom and the aft cabin (2 cabin version)

## ELECTRICITY

- 12 V circuit
- 1 70 Amperes service battery - 1 70 Amperes engine battery
- 1 Charge divider
- 12 V Electrical panel (Fuses - Voltmeter - 1 Water gauge - 1 Fuel gauge - 1 Low battery charge warning - 1 Low diesel and water tank warning)
- 1 12 V Cigar lighter socket
- Lighting: Fittings blanks - Halogen ceiling lights - 1 White/red light fitting
- Navigation lights: 1 Three-colour lights on masthead - 1 Fire bicolor half-mast
- Wire runs for options cables

## PLUMBING

- 2 Roto moulded freshwater tanks (130 L port aft cabin - 160 L forward cabin) - 2 Stainless steel water deck fillers - Separate tank filling - Tank selection with ¼ by-pass valves
- Pressurised electric water pump - Accumulator tank - Inline filter
- 1 25 L Electric water heater (engine run)
- 1 Rigid holding tank 80 L
- Electric shower drain pump
- 1 Manual bilge pump - 1 Electric bilge pump
- 1 Electric dresser drain pump

## GAS

- 2 Gas bottle boxes in the cockpit
- Pressure reducing valve and safety tap

## TRIM LEVEL

	AVANTAGE	ELEGANCE
1 Display SIMRAD IS 20 GRAPHIC (Loch, Speedometer, Depth sounder)	■	■
1000 W Electric windlass upward / Companionway - Remote control	■	■
High cupboards along hull in forward cabin	■	■
De luxe saloon table	■	■
Radio CD player / MP3 - 2 Interior loudspeakers - 2 Outside loudspeakers	■	■
LED: Navigation lights - Interior lighting	■	■
Complete 220V electrical system (Inside sockets - 25 Amperes battery charger - Shore power socket)	■	■
1 70 amperes additional service batterie	■	■
Hot/cold water cockpit shower hose		■
Companionway steps covered in wood		■
Caramel leather covered stainless steel handrails in the saloon - Stainless steel beading in saloon cubbyhole lockers		■
Freshwater foot pump - Sea water		■
Mirror on forward partition of fore cabin		■
1 Additional mirror in toilet closet (3 cabin version)		■
2 Additional mirrors in toilet closet (2 cabin version)		■
Delayed shower draining		■
1 Additional opening cockpit porthole to port in aft cabin		■
1 Opening aft platform porthole to port in aft cabin		■
Mosquito blinds / Blackouts on deck hatches		■

## OPTIONS

### PACKS

#### PACK ELECTRONIC SIMRAD

- Display SIMRAD Anemometer wind indicator IS 20 WIND
- Multifunction screen NSE 8 colour 8" LED (GPS - chart plotter - Chart reader for preloaded Navionics Platinum world cartography - supplied without chart)

#### PACK DOCKING

- Side openings in guardrails
- Additional bow roller
- White PCV steering wheel and console covers
- Mooring kit: (Anchor Brittany 16 kg, 28 M of 10 mm chain, 40 M 18 mm rope) - 4 Mooring ropes - 6 Fenders

### OTHER OPTIONS

- Auto pilot SIMRAD AP24 - Integrated gyrocompass
- VHF SIMRAD DSC

- Steel blue colour hull - Hull decorated in pearl grey
- Anodized mast furling with sail
- windex
- 2 flag halyards
- Asymmetric spinnaker rigging
- Easy Sail (Genoa traveller adjustment from cockpit - Clutches on genoa sheet foot blocks - Backstay adjustment - Rope cutter)
- Mainsail sheet track on deck house
- 3 retractable blades propeller
- Cockpit bottom and rear platform decked in natural solid wood
- Catwalks decked in natural solid wood
- Shore freshwater supply
- Outboard engine bracket
- Solid wood cockpit table - Cover and lamp
- Perle deck house hood
- Cockpit Bimini top Perle
- PVC cockpit cushions
- Berth in saloon
- Microwave oven (Version 2 cabin)
- Heating
- Porthole mosquito nets
- Fabric upholstery