



1 forward cabin - 1 Toilet, 2 AFT cabin - 1 Toilet, Bow cabin (optional extra)



2 forward cabins - 2 Toilets, 2 Aft cabins - 1 Toilet - Bow cabin (optional extra)

GENERAL SPECIFICATIONS

• L.O.A	16.70 m
• Length of hull	16.26 m
• L.W.L.	15.00 m
• Width of hull	4.90 m
• Long draught (min)	2.30 m
• Long ballast weight	4 535 kg
• Short draught (min)	1.80 m
• Short ballast weight	4 990 kg
• Air draught (max)	23.00 m
• Light displacement EC	14 450 kg
• Fuel tank capacity	474 l
• Freshwater capacity	970 l
• Engine power	110 HP

ARCHITECTS / DESIGNERS

- Architect Naval : Berret Racoupeau
- Architecture interior : Nauta Design

EC CERTIFICATE

- Category A - 12 persons
- Category B - 13 persons
- Category C - 14 persons

STANDARD SAIL LAYOUT AND AREA

• Mainsail	69.00 m ²
• Genoa	80.10 m ²
• Asymmetric spi	195.60 m ²
• I	19.73 m
• J	6.48 m
• P	19.00 m
• E	6.35 m

STANDARD EQUIPMENT

CONSTRUCTION

Design made following European Directive requirements and according to EC certification

- Monolithic hull design in polyester
- Monolithic structural counter moulding laminated and stuck to hull
- Deck in balsa and glass fibre sandwich covered in «diamond point» type non-slip surface
- Deck hull join screwed, stuck and banded with 1 solid wood bulwark, screwed
- Cast iron keel fixed with bolts and stainless steel veneer and stuck
- Rudder hung with glass compound stock
- White coloured hull - Hull decorated in pearl grey

DECK EQUIPMENT

RIGGING

- Standard mast 9/10 electro-polished aluminium installed on the deck, 2 level(s) of advanced cross trees - MDS roller slides
- Boom in anodised aluminium
- Standing rigging in single-strand stainless steel
- Single backstay with turnbuckle
- Rigid boom down-haul with tackle
- Genoa furling system with drum on the deck
- Mainsail sheet track
- 2 genoa sheet tracks with piston adjusted traveller cars - 2 Genoa sheet return blocks
- Rigging run back to cockpit (except boom topping lift)
- Complete running rigging: Main halyard, genoa halyard with clutch on mast and cleat, Boom topping lift with cleat on mast, Mainsail foot and sheet, 2 Genoa sheets 2 fast reefing ropes, 1 manual reef
- 11 sheet clutches
- 6 Bollards

WINCHES

- 2 Self-tailing genoa sheet winches (H70.2 STC)
- 2 Self tailing rigging winches (H46.2 STC)
- 2 winch handle(s) aluminium
- 2 Winch handle boxes

SAILS

- Furling genoa with UV protective strip
- Mainsail written full batten with roller travellers
- Lazy Jack and Easy bag in Perle colour

MOORING -ANCHORING

- Self-bailer chain locker with clenche eye
- 1 Hatch giving access to chain locker in sail hold / Bow cabin
- Stainless steel bow fitting 2 rollers
- Vertical electrical windlass 12 V - 1600 W - Remote control
- 8 Aluminium mooring cleats - Stainless steel deck line protection

SAIL LOCKER

- Access through deck hatch
- Stainless steel ladder, solid wood steps - 2 Stainless steel guardrails
- 2 Cubby hole lockers

PERSONNEL GUARDS

- 1 Half-open stainless steel forward pulpit - Step
- 2 stainless steel aft pushpits
- 1 Ring lifebuoy bracket
- 1 Outboard engine bracket
- 1 Flag pole socket
- Double guardrail and stainless steel stanchions - Gangway opening to port and to starboard
- 4 Stainless steel guardrails

COCKPIT

- Cockpit bottom self bailing
- 1 Port cockpit locker - 1 Cockpit locker to starboard
- 2 Lockers under tiller seating
- 1 Gas locker for 2 bottles in cockpit bottom
- Cockpit benches decked in natural solid wood
- 2 Steering wheel consoles: Stainless steel steering wheels - 900 mm diameter - leather covered - rudder systems on partition - metal cable transmission system - Stainless steel guard rail - navigation instrument stand (optional instruments) - Glass holder in stainless steel
- Deck hole for access to tiller system
- 1 Emergency tiller
- 2 Steering compass on binacle
- Engine control and control panel to starboard
- Polyester cockpit table - 2 flaps - glove boxes - central bottle holder - bottle holder on reverse side - Stainless steel guard rail - 12 V socket - lamp with shade
- 2 Waterproof loudspeakers
- 2 Companionway door on solid wood hinges - Sliding hatch made of PMMA

SUN DECK AND UPPER STERN

- Access door pivoted on pantograph (Patented)
- Natural solid wood decking on sun deck
- 1 Cased life-raft locker in upper stern - 2 doors
- 1 Stainless steel swimming ladder - solid wood steps
- 1 Shower spray hot water / cold water
- 1 Shore power socket

FITTINGS

- Light oak colour Alpi Mahogany
- Parquet type laminated floors
- Deck, hull and bulkhead inner moulding coated with vinyl fabric ceiling

COMPANIONWAY

- Height to deck beam: 2.05 m
- Wooden companionway with hung steps in moulded wood with non-slip surface
- 2 Stainless steel guardrails - 2 Leather covered stainless steel guard rails

FORWARD CABIN(S)

Version 1 Forward cabin

- Height to deck beam: 1.95 m
- Central double bed (2.00 m x 1.55 m) - Lathed bed base - Marine mattress
- Hanging locker - Cupboard - Cubby hole lockers - glove compartments and draw
- 1 Dressing table with mirror
- Mirror Gateway
- 2 Hull portholes with curtain
- 2 Opening deck hatch(es) with blind / mosquito nets

Version 2 forward cabins

- Height to deck beam: 1.95 m
- Central double bed (2.00 m x 1.50 m x 1.00 m) - Marine mattress
- Hanging locker - Cupboards - Cubby hole lockers - glove boxes - Drawer
- 1 Hull portholes with curtain

FORWARD WASHROOM(S)

- Height to deck beam: 1.92 m
- Washroom moulded in one piece to be watertight
- Separate shower - shower mixer tap hot / cold water - Shower guard in PMMA
- Manual marine toilet
- Washbasin - Synthetic resin worktop - Mixing tap hot water / cold water
- Mirror
- Toilet accessories: Glass holder, soap tray, towel rail, Rubbish bin, Paper dispenser
- Cupboard and cubby hole
- 1 Opening deck hatch with shutter / Mosquito net

SALOON

- Height to deck beam: 2.00 m
- U shaped saloon bench, double density foam
- Saloon table in only 1 piece, Varnished wood top with inlay, Aluminium legs
- 2 person bench seat with central foldaway armrest
- 4 Matching decorative cushions
- Cupboards, Cubby hole lockers and storage along the hull, Storage under bench seats
- 1 Panoramic window with pleated blinds
- 2 Hull portholes with curtain
- 2 fixed deckhouse side windows with pleated blinds
- 1 Porthole opening onto coaming in the starboard side window
- 3 Opening deck hatch(es) with blind / mosquito nets

CHART TABLE

- Control console with flap - glove boxes - Storage - Moulded wood beading
- Helmsman seat with cushion
- Pivoting electrical panel enabling access to electrical connections
- Navigation instrument panel (without instruments)
- Radio CD player / Stereo MP3 - 2 Loud speakers
- 1 White light fitting / Red
- Leather covered stainless steel hand rail on partition

GALLEY

- Height to deck beam: 2.02 m
- U-shaped kitchen fitted into companionway
- Synthetic resin worktop
- 1 Stainless steel sink 2 rectangular basins - Cutting board
- 1 Mixer tap cold water / hot
- 1 Gas cooker 2 hobs, Stainless steel oven on mountings, safety bar
- 1 Refrigerator 130 litre, Refrigeration unit 12 V, front opening
- 1 Ice box 100 litre, Refrigeration unit 12 V, top opening
- 1 cutlery drawer
- Fitted cupboards and lockers (shelves, stainless steel basin on slider, tea towel holder, Rubbish bin, bottle holder)
- 1 Porthole(s) opening onto coaming with curtain

STARBOARD AFT WASHROOM

- Height to deck beam: 2.05 m
- Washroom moulded in one piece to be watertight
- Separate shower, shower mixer tap hot / cold water, 2 door shower cabinet in PMMA
- Manual marine toilet
- 1 Rigid sewage water tank 80L
- Washbasin - Synthetic resin worktop - Mixing tap hot water / cold water
- Mirror
- Toilet accessories: Glass holder, soap tray, towel, Rubbish bin, Paper dispenser

- Cupboard and cubby hole
- 1 Fitted deckhouse side window with curtain
- 1 Porthole(s) opening onto coaming with curtain

AFT CABIN(S)

- 2 Symmetrical cabins each one consisting of:
- Height to deck beam: 2.10 m
 - Double bed(2 m x 1.60 m x 1.30 m), Marine mattress
 - Hanging locker, Cubby hole lockers, Central storage, glove boxes
 - Mirror Gateway
 - 1 Hull portholes with curtain
 - 1 Porthole(s) opening onto coaming with curtain
 - 1 Porthole(s) opening onto cockpit with curtain
 - 1 Opening deck hatch with shutter / mosquito nets
 - Access door to aft washroom in starboard cabin

ENGINE

- Engine Yanmar Diesel 110 hp
- Engine control - Key ignition - Control panel in cockpit
- Engine compartment: Foam soundproofing - Ventilation: 1 air intake and 1 pressured air outlet
- 1 Alternator 12 V / 80 Ah
- 2 Rotation moulded diesel tank 237 L (under aft berths) - Electronic gauge - Low level alarm - 1 Deck filler
- Filters: Sea water - Diesel - Decanter
- Stainless steel shaft line - Polyester guard moulded into hull
- Fixed three blade propeller
- 1 Engine access through companionway (opening with gas piston) - 2 Engine access through aft cabins

ELECTRICITY

- 12 V circuit - 220 V circuit
- 2 service batteries (2x140 Ah) - 1 Battery for engine (110 Ah)
- 1 Battery charger 40 Ah - 1 Shore power socket 220V - 1 Charge divider
- Electrical panel (12 V / 220 V) (Circuit breakers - Voltmeter - Water gauge - Fuel gauge - Battery warning - Fuel warning)
- 1 Socket(s)12 V - 7 Socket(s)220 V
- Interior lighting LED: Halogen ceiling lights, Background lighting
- Interior lighting Incandescent: Wall light, Reading lights, White/red light fitting
- Navigation lights LED: 1 Forward and aft navigation lights - 1 Engine navigation light / Crosstree light forward of mast - 1 Mooring light on masthead - 1 Deck light
- Wire runs for options cables

PLUMBING

- 3 rotation moulded freshwater tanks (2 x 320 l in the saloon - 330 L forward cabin) - 2 Deck fillers - Tank selection with ¼ by-pass valves
- Pressurised electric water pump - Expansion chamber - System protection filter
- Electric water heater 40 L (Operation off engine or on 220 V electrical system)
- 1 Rigid sewage water tank 80L
- Electrical shower drain pumps
- 2 Electric bilge pumps - 1 Manual bilge pump
- 1 Electric ice box drain pump

GAS

- 2 Gas bottle box(es) in the cockpit
- Pressure reducing valve and safety tap

TRIM LEVEL

	AVANTAGE	ELEGANCE
2 Notches colors TFT ST70 RAYMARINE (Loch - Speedometer - Depth sounder - Weather vane - Anmomtre)	■	■
Releasable fore-stay chain-plate	■	■
Cockpit bottom decked in natural solid wood	■	■
1 Port electric rigging winch H46.2STCEH	■	■
3 retractable blades propeller FOF	■	■
3 Opening portholes in fixed side windows	■	■
Speakers BOSE ACOUSTIMASS® 3	■	■
Freshwater foot pump - Sea water	■	■
3 hob oven/grill cooker on de luxe mounting	■	■
2 Additional service batteries 140 amperes	■	■
1 Additional battery charger(s) 40 amperes	■	■
Wood cockpit table + White PVC protective cover	■	■
Shore freshwater supply		■
Top opening 12 V cool box in ice box		■
Shelf / Sideboard removable in the saloon		■
Inverter 2000 W - 12 V / 220 V		■

OPTIONS

PACKS

PACK ELECTRONIC RAYMARINE

- PC interface
- Swivel base on reverse side of table
- 1 Multifunction colour screen E120 LCD 12.1 inch (GPS, tracker, Cartography chart mapper Navionics Gold, supplied without chart)
- Pilot ST 70, Piston LS RV2, Control console

PACK EASY DOCKING

- Bow thruster
- 2 White PVC steering wheel covers
- Windlass control in cockpit with chain counter
- Mooring kit (Anchor CQR 32 kg, 85 M of 12 mm chain) - 4 Mooring ropes - 6 Fenders

OTHER OPTIONS

- 2 nd Multifunction colour screen E120 RAYMARINE at the chart table
- Remote pilot control, Wireless instruments repeater SmartController RAYMARINE
- Radar (radome only) RAYMARINE
- AIS information RAYMARINE
- VHF RAYMARINE 49 E
- Steel blue colour hull - Hull decorated in pearl grey
- Electro-polished mast furling system with sail
- Wind indicator Windex
- 2 flag halyards
- Asymmetric spinnaker rigging
- Asymmetric spinnaker rigging and boom
- Easy Sail (Genoa traveller adjustment from cockpit - Clutches on genoa sheet foot blocks - Backstay adjustment(s) - Winch handle Speedgrip - Winch handle box - Emergency rope cutter)

- 3 -blade propeller Max Prop
- Releasable fore stay and tackle (without sail - without chain-plate)
- Manual fore-stay sail furling system (without sail - without chain-plate)
- 2 Electric genoa winches H70.2STCEH
- 2 Spinnaker sheet winches H50.2STC
- Catwalks decked in natural solid wood
- Davit Stainless steel
- Perle deck house hood
- Cockpit Bimini top Perle
- PVC cockpit cushions

- Floos varnishes
- Additional saloon seating
- Double berth in saloon
- Swivel foldaway saloon table
- Crockery kit marked Bénéteau 12 person
- Lathed bed bases in all cabins (except bow)
- Porthole mosquito nets
- Heating
- Air conditioning
- Water maker 60 L/H
- Generator 7 KVA
- Microwave oven
- Dishwasher
- TV LCD 26" on ascenseur - Player DVD / CD / MP3 in saloon
- TV LCD 20" fixed - Player DVD / CD / MP3 in saloon
- TV aerial
- TV LCD 20" - Player DVD / CD / MP3 in master cabin
- Additional rigid sewage tank
- Electric heads in all toilets (except bow)

BOW CABIN

- In place of the sail hold
- Access through deck hatch - Stainless steel ladder, solid wood steps - 2 Stainless steel guardrails
- Cabin : Single bed (2.00 m x 0.65 m) - Foam mattress - Cover PVC - Cubby hole locker - Hanging locker - Drawers
- Washroom : Washroom moulded in one piece to be watertight - Washbasin - 1 Mixing tap hot water / cold water - Valve / Shower - 1 Mirror - 1 Manual toilet - 1 Cupboard