



1 Forward cabin - 1 Head version, 2 Aft cabins - 2 wash rooms, Bow cabin (optional)



2 forward cabins - 2 wash rooms, 2 Aft cabins - 2 wash rooms - Bow cabin (optional)

GENERAL SPECIFICATIONS

• L.O.A	18,24 m	59'1"
• Hull length	17,75 m	58'3"
• L.W.L.	16,43 m	53'11"
• Beam	4,99 m	16'9"
• Deep draught (min)	2,60 m	8'6"
• Deep ballast weight	6 435 kg	14,183 lbs
• Shallow draught (min)	2,10 m	6'11"
• Shallow ballast weight	7 150 kg	15,759 lbs
• Air draught	27,50 m	90'3"
• Light displacement (EC)	21 658 kg	47,734 lbs
• Fuel capacity (max)	1 080 l	285 US Gal
• Freshwater capacity (max)	960 l	254 US Gal
• Engine power	140 HP	140 HP

ARCHITECT / DESIGNERS

- Naval Architect : Berret Racoupeau Yacht Design
- Interior design : Nauta Design

EC CERTIFICATE

- Category A - 12 persons
- Category B - 13 persons
- Category C - 14 persons

STANDARD SAILS DIMENSIONS

• Mainsail (classic)	87,70 m ²	943.99 sq ft
• Furling mainsail (optional)	79,00 m ²	850.35 sq ft
• Genoa (120 %)	100,53 m ²	1 082.10 sq ft
• Asymmetric spinnaker (optional)	255,00 m ²	2,744.8 sq ft
• Staysail (optional)	35,00 m ²	376.73 sq ft
• I	23,88 m	78'4"
• J	6,88 m	22'7"
• P	22,90 m	75'2"
• E	6,90 m	22'8"

STANDARD EQUIPMENT

CONSTRUCTION

Design made following European Directive requirements and according to EC certification

- Monolithic hull design in polyester
- Monolithic structural counter moulding laminated and bonded to the hull
- Deck in balsa and glass fibre sandwich covered in «diamond point» type non-slip surface
- Deck hull join boarded and screwed, with 1 solid wood toerail
- Cast iron keel fixed with bolts and stainless steel backing plates
- Rudder hung with glass compound stock
- White coloured hull - Grey metal hull decoration

DECK EQUIPMENT

RIGGING

- Standard 9/10 anodised aluminium mast - keel stepped - 3 Aft swept spreaders - Traveller MDS
- Retractable steps
- Anodised aluminium boom
- Discontinuous stainless steel standing rigging
- Double backstay with bottle screws
- Rigid kicking strap with tackle
- Manual Genoa furler - Drum on deck
- 2 Blocks standup on mainsheet arch
- 2 genoa tracks with piston adjusted traveller cars - 2 Genoa sheet return blocks
- Complete running rigging: Main halyard, genoa halyard with clutch on mast and cleat, Boom topping lift with cleat on mast, Mainsheet, 2 Genoa sheets - 2 Automatic reefing line - 1 Manual
- 11 Jammers
- 6 Jamming cleats
- Pre-fitting for spinnaker (6 pad eyes and clutches)
- Windex Windvane

WINCHES

- 2 Self-tailing genoa sheet winches (H70.2 STC)
- 2 Self tailing coachroof winches (H46.2 STC)
- 2 Winch handles Speedgrip
- 2 Winch handle boxes

SAILS

- Dacron furling genoa
- Full batten dacron mainsail with Beneteau logo
- Lazy-jacks - Lazy bag Colour Natural

MOORING - ANCHORING

- Self-draining chain locker
- Hatch giving access to chain locker in sail locker / Bow cabin
- Stainless steel bow fitting 2 rollers - Asymmetric spinnaker tack point - Stainless steel bobstay
- 24 V - 2000 W Vertical electrical windlass - Remote control
- 8 Stainless steel mooring cleats - Stainless steel deck line protection

SAIL LOCKER

- Access through deck hatch
- Stainless steel ladder - solid wood steps
- 2 Cubby hole lockers

SAFETY ON DECK

- 1 Open stainless steel forward pulpit - Step
- 2 Stainless steel aft pushpits - 2 Stainless steel helmsman seat balconies
- 1 Ring lifebuoy bracket
- 1 Outboard engine bracket
- 1 Flag pole socket
- Double guardrail and stainless steel stanchions - Opening to port and to starboard in guardrail
- 2 Stainless steel handrails on deck
- 2 Stainless steel handrails on fixed arch
- 2 stainless steel grabrails on the cockpit coaming
- 2 stainless steel grabrails behind the helm seats
- 2 removable stainless steel gates on aft skirt

COCKPIT

- Self-draining cockpit
- 2 Lockers under helm seat - Opened by gas cylinder
- 24V electric
- 2 Rope lockers - Step plate in front of steering station
- Natural solid wood slatted cockpit benches
- 2 Steering wheel consoles: Steering wheel Stainless steel - 1 100 mm / 3'7" diameter - leather covered - Brake bar - Steering Gear on partition - metal cable transmission system - navigation instrument stand (optional instruments) - Steering compass on binacle - Stainless steel glass holder - Stainless steel handrail
- Assize records and helmsman on balconies Natte Stone
- Deck hole for access to tiller system - 1 Emergency tiller
- Engine throttle and control panel to starboard
- Solid wood cockpit table - 2 flaps - guy wash boards - glove boxes - bottle holder - 12 V socket - lamp with shade - Switch - Cover Silver
- 2 water-proof loudspeakers below arch
- Lamps LED under arch
- Folding companionway door and PMMA sliding companionway hatch - Electric locking system

AFT TRANSOM

- Open access protected by stainless steel guardlines - 2 Stainless steel doors
- Natural solid wood sole
- 1 Lifteraft locker on starboard side - Opened by gas cylinder
- 1 Gas locker on port side - Opened by gas cylinder
- 2 Wet lockers at skirt bottom
- Dinghy lifting system integrated
- 1 Stainless steel swimming ladder - solid wood steps
- 1 Hot and cold cockpit shower
- 1 220 V shore power

INTERIOR

- Woodwork Alpi Mahogany
- Parquet type laminated floors
- Cushions
- Ceiling panels, bulkhead, hull liner covered with PVC fabric

COMPANIONWAY

- Headroom: 2,08 m / 6'10"
- Wooden companionway with hung steps in moulded wood with non-slip surface
- Stainless steel stairway ramps - leather covered
- Canopy - Wrinkled blinds

Version: 1 forward cabin

FORWARD CABIN

- Headroom: 2,10 m / 6'11"
- Central double bed (2,05 x 1,22 m - 1,66 m / 6'9" x 4' - 5'5") - Slatted bed base - Marine mattress
- Night tables - Cubby hole lockers - Drawers - glove boxes - Lockers under the bed (Opened by gas cylinder)
- Wardrobe - Cupboard - Shoe cabinet
- 1 Dressing table with mirror - 1 Removable seat
- Mirror Gateway
- 2 Hull portholes with blackout curtains
- 3 Opening hatches with blackout blind / Mosquito net

STARBOARD FORWARD HEAD COMPARTMENT

- Headroom: 2,00 m / 6'7"
- Private washroom accessible from forward cabin
- Separate shower: Shower tray complete - shower mixer tap hot/cold water - Shower screen
- Manual marine toilet
- Washbasin - Synthetic resin worktop - Mixing tap hot water/cold water
- 2 Mirrors
- Toilet accessories
- Cupboards - Cubby hole lockers
- 1 Opening hatch with blackout blind/Mosquito net

Version: 2 forward cabins

FORWARD CABINS

- 2 Symmetrical cabins
- Headroom: 2,07 m / 6'9"
- Double bed (2,05 x 1,50 m / 6'9" x 4'11") - Slatted bed base - Marine mattress
- Hanging locker - Cubby hole lockers - Drawer - glove boxes
- Mirror Gateway
- 1 Hull porthole with blackout curtain
- 1 Opening hatch with blackout blind/Mosquito net

FORWARD HEAD COMPARTMENT

- Symmetrical bathrooms
- Headroom: 2,00 m / 6'7"
- Private bathrooms accessible from forward cabins
- Separate shower: Shower tray complete - shower mixer tap hot/cold water - Shower screen
- Manual marine toilet
- Washbasin - Synthetic resin worktop - Mixing tap hot water/cold water
- Mirror
- Toilet accessories
- Cupboard - Cubby hole locker
- 1 Opening hatch with blackout blind/Mosquito net

SALOON

- Headroom: 2,03 m / 6'8"
- U shaped saloon bench - Fabric upholstery
- Retractable central seat - Fabric upholstery
- Swivel foldaway saloon table wood - Laquered table top and inlay - Integrated bar
- Sofa with armrests
- Cupboards - Cubby hole lockers and storage along the hull - Storage space under seats and sofa
- Electric bar behind port settee
- 1 Panoramic glazing with blackout blinds/Mosquito net
- 2 Hull portholes with blackout curtains
- 2 fixed deckhouse side windows with pleated blinds
- 4 Opening portholes in fixed side windows

CHART TABLE - STARBOARD

- Control console with flap - glove boxes - Storage - Moulded wood beading
- Helmsman seat with cushion and backrest
- Swivel backlit electrical panel (to allow access to electrical connections)
- Navigation instrument panel (optional instruments)
- Radio CD player/Stereo MP3 - 2 Loud speakers
- 1 Oilskins locker - 3 drawers cabinet

GALLEY - PORT SIDE

- Headroom: 2,05 m / 6'9"
- U-shaped kitchen
- Synthetic resin worktop
- Rectangular stainless steel sink - Rectangular stainless steel drainer - Cutting board in solid wood
- 1 Shower-hose mixer-tap cold / hot water
- 1 Gas cooker 3 hobs, Stainless steel grill and oven swivels - Stainless steel protection handrail
- 1 Fridge 130 l, 24 V Refrigeration unit, 2 speed compressor, front opening
- 1 Cool box 100 l, Conservator, freezer, top opening
- Drawers with slides and buffers, Cupboards, equipped lockers (shelves with guy wash boards, tea towel holder, bottle holder)
- Embedded bin
- 1 Opening porthole with blackout curtain

STARBOARD AFT CABIN

- Headroom: 1,90 m / 6'3"
- 2 single beds, can be joined to make a double bed (2,00 x 0,86 m + 2,00 x 0,80 m / 6'7" x 2'10" + 6'7" x 2'07") - Slat mattresses - Marine mattress
- Hanging locker - Cubby hole lockers - glove boxes
- 1 Dressing table with mirror
- Mirror Gateway
- 1 Opening porthole on cockpit with blackout curtain
- 1 Opening porthole with blackout curtain
- 1 Glazing fixes to transom with blackout curtain
- 1 *1 Fore opening porthole towards transom

STARBOARD AFT HEAD COMPARTMENT

- Headroom: 2,05 m / 6'9"
- Private head compartment accessible from starboard aft cabin
- Separate shower: Shower tray complete - shower mixer tap hot/cold water - Shower screen
- Manual marine toilet
- 1 Rigid holding tank 80L / 21 US Gal
- Washbasin - Synthetic resin worktop - Mixing tap hot water/cold water
- Mirror
- Toilet accessories
- Cupboard - Cubby hole locker
- 2 Opening portholes with curtain

PORT AFT CABIN

- Headroom: 1,90 m / 6'3"
- 1 Double bed (2,05 x 1,40 m - 1,53 m / 6'9" x 4'7" - 5') - Slatted bed base - Marine mattress
- Hanging locker - Cubby hole lockers - glove boxes
- Mirror Gateway
- 1 Opening porthole on cockpit with blackout curtain
- 1 Opening porthole with blackout curtain
- 1 Glazing fixes to transom with blackout curtain
- 1 *1 Fore opening porthole towards transom

PORT AFT WASHROOM

- Headroom: 2,05 m / 6'9"
- Head compartment accessible from the port aft cabin and from the saloon
- Separate shower: Shower tray complete - shower mixer tap hot/cold water - Shower screen
- Manual marine toilet
- 1 Rigid holding tank 80L / 21 US Gal
- Washbasin - Synthetic resin worktop - Mixing tap hot water/cold water
- Mirror
- Toilet accessories
- Cupboards - Cubby hole locker
- 1 Opening porthole with curtain

ENGINE

- Engine 140 HP / HP Volkswagen
- Engine electrical control and switchboard in the starboard cockpit
- Engine compartment: Foam soundproofing - Ventilation: 1 air intake and 1 pressured air outlet
- 1 Alternator 12 V: 120 Amperes
- 1 Alternator 24 V: 80 Amperes
- 2 Roto moulded diesel tanks (240 l / 63 US Gal under aft berth to port + 240 l / 63 US Gal under aft berth to starboard) - Electronic gauge - 2 Deck fillers - Tank selection with ¼ by-pass valves
- Filters: Sea water - Diesel - Decanter
- Stainless steel shaft line
- 3 retractable blades propeller
- 1 Engine access through companionway (Opening by 2 gas cylinders) - Engine access through passageway and aft cabins

ELECTRICITY

- 12 V circuit
- 24 V circuit
- 220 V circuit
- Ducts with messenger lines for threading cables of electrics or navigation electronics optional extras
- 1 220 V Electrical panel: Breaker - Voltmeter
- 1 12 V 24 V Electrical panel: Breaker - Voltmeter - Water gauge - Fuel gauge - 24 V Charging current and consumption current measurement
- Compartment to house the electrical equipment controls (Standard or Optional) in the port aft cabin

12 V circuit

- Standard equipment: Standard equipment: Sockets 12V, Hifi
- Optional equipment: Hifi, Electronic
- 1 12 V - 110 Amperes engine battery
- 1 12 V - 110 Amperes service battery
- Battery switch (Port passageway)
- 12 V Charge divider
- 1 12 V - 25 Amperes battery charger
- 2 12 V Sockets (Chart table x 1 - Cockpit table x 1)

24 V circuit

- Standard equipment: Electric windlass - Pumps - Navigation lights - Lighting - Refrigeration units
- Optional equipment: Bow thruster
- 1 24 V - 280 Amperes service battery set (4 x 12 V - 140 Amperes batteries)
- Battery switch (Port passageway)
- 24 V Charge divider
- 1 24 V - 60 Amperes battery charger

220 V circuit

- Standard equipment: Sockets 220 V - Water heater
- Optional equipment: Electrical cooker - Microwave oven - Water maker - Ice maker - Air conditioning - Hood - Washing machine - Dishwasher
- Standard equipment: Sockets 220V:
 - Version 3 cabin: 21 Sockets (Forward cabin x 5 - Fore washroom x 1 - Port saloon x 2 - Galley x 2 - Chart table x 4 - Port aft cabin x 2 - Port aft washroom x 1 - Starboard aft cabin x 3 - Starboard aft head compartment x 1)
 - Version 4 cabin: 19 Sockets (2 Forward cabins x 2 - Port saloon x 2 - Galley x 2 - Chart table x 4 - Port aft cabin x 3 - Starboard aft head compartment x 1)

Lighting

- Interior lights LED:
 - Overhead lights, Indirect lighting, Adjustable wall-mounted luminaires and reading lamps
 - Courtesy lamps in wardrobes
- Outside lighting:
 - LED: Lamps under arch
 - Incandescent: Deck searchlight at mid mast, Projector boom bar, Shade lamp on cockpit table
- Navigation lights LED - Control on chart table and on starboard helm
 - 1 Mooring light at mast top
 - 1 Automatic steaming light at mid mast
 - 1 Port navigation light, 1 Starboard on front balcony
 - 1 Sternlight on pushpit to starboard

PLUMBING

- 2 Roto moulded freshwater tanks (2 x 330 l / 2 x 87 US Gal in saloon inner moulding) - 2 Deck fillers - Tank selection with ¼ by-pass valves
- Pressurised electric water pump - Accumulator tank - Inline filter
- 60 L / 16 US Gal Electric water heater
- 1 Rigid holding tank 80L / 21 US Gal (Port and starboard aft toilets)
- Automatic electric shower drain pumps - time delay
- 2 Electric bilge pumps - 1 Manual bilge pump
- 1 Electric ice box drain pump

GAS

- Gas cylinder(s) locker in port aft skirt
- Pressure reducing valve and safety tap

TRIM LEVEL

	AVANTAGE	ELEGANCE
Electronic - 2 Multifunction screens NSS 7 SIMRAD (Loch - Speedometer - Depth sounder - Wind-vane - Anemometer)	■	■
Releasable fore-stay chain-plate	■	■
Cockpit sole natural solid wood	■	■
1 Port electric coachroof winch H46.2 STCEH	■	■
Extra diesel tanks (2 x 300 l / 2 x 79 US Gal in saloon)	■	■
Extra water tank (300 l / 79 US Gal Under the bed forward)	■	■
Sonic Hub (Radio, Dock IPHONE®, USB) - Speakers BOSE ACOUSTIMASS® 3 Black - Outside loudspeakers SONY	■	■
Shore freshwater supply	■	■
Galley: Freshwater purifier	■	■
Galley: Extractor hood	■	■
Galley: Electric pump - Sea water	■	■
Version 3 cabin: Electric toilet - Forward toilet	■	■
Version 4 cabin: Electric toilet - Aft starboard toilet	■	■
24 V circuit: 2 service batteries (4 x 140 Amperes - 12 V) + 60 amperes Additional battery charger	■	■
Pump for deck washing		■
Safe		■
Chart table: Universal recharging station (Cellphone, MP3, GPS, PDA, etc...)		■
Chart table: Drawer refrigerator - 110 l - 24 V Refrigeration unit		■
Leather-covered doors and glove compartment - 2 Glove boxes of the steering wheel		■
Extra saloon table		■
Inverter 2500 W - 24 V / 220 V		■
Electric lateral blinds		■
Powered entrance door - 2 Remote controls		■

OPTION PACK

	EASY DOCKING	ELECTRONIC SIMRAD
Bow thruster	■	
2 Steering wheels + console	■	
Windlass control in cockpit with chain counter	■	
Fenders protective covers	■	
4 Mooring ropes, Anchoring, 8 Fenders	■	
Chart table: Multifunction color touchscreen NSO 15" SIMRAD (GPS - Chart plotter - Chart reader - Without chart - Cartography NAVIONICS SILVER included)		■
Offset keyboard - OP40 Simrad		■
Chart table: PC interface WIFI		■

OTHER OPTIONS

Navigation electronics SIMRAD

- WR 20, SIMRAD Wireless autopilot remote control
- High definition digital radar (radome only) 4G SIMRAD
- Receiver AIS 300 SIMRAD (Transmitter - Receiver) + RS 10 VHF
- Auto pilot AC42 SIMRAD
- Multifunction touchscreen additional Simrad NSS 12" - Cockpit table

Rigging - Sails

- Anodised mast with in-mast furler for MMylar Taffetas tri-radial cut mainsail
- Electropolished mast furling system with main sail + Genoa Hydranet
- Standard mast or in mast furling white-painted
- Electric genoa furling system
- Hydranet tri-radial cut mainsail and genoa, for classical mast
- Hydranet flying staysail and track self-tacking
- Fixed staysail furler with Hydranet staysail and automatic turning gear rail
- Laminated Mylar Taffetas (code0) with furling drum
- Asymmetric spinnaker
- Symmetrical spinnaker rigging + Boom
- 2 flag halyards
- Easy Sail (Genoa traveller adjustment from cockpit, Clutches on genoa sheet blocks, Hydraulic backstay⁽¹⁾)
- Rope cutter

(1) Except on mast with in-mast furling

Winches

- Electrical manoeuvring winch (Starboard) H46.2 STCEH
- Electric genoa sheet winches H70.2 STCEH

Bow cabin

In place of the sail hold

- Access through deck hatch (with ventilation) - Stainless steel ladder, solid wood steps
- Headroom: 1,93 m / 6'4"
- 2 Bunk beds (Bottom bunk 1,95 x 0,65 m - 0,44 m / 6'5" x 2'2" - 1'5" - Folding upper bed 1,95 x 0,65 m - 0,55 m / 6'5" x 2'2" - 1'10") - Foam mattress - PVC cover
- Hanging locker - Storage locker - Cupboard
- Manual toilet - Washbasin - Shower head mixer tap, hot water/cold water - Shower tray

Hull - Deck

- Steel blue colour hull - Hull decorated in pearl
- Metallic hull paint - Hull decorated in pearl grey or metal
- Solid wood slatted catwalks
- Solid wood decking on deckhouse
- Arch on transom
- Cradle - Davits with solar panels + Wind generator
- Gangway - Hydraulic crane
- Folding carbon gangway (L = 2,20 m / 7'3")
- Gangway ladders
- Coachroof sprayhood
- Cockpit Bimini top + Side plates
- Coachroof sprayhood
- sunbathing mattress

Interior equipment

- 100 L/H Water maker
- 9.5 KVA Generator / 220 V
- Gel batteries
- Water system heating
- Chilled water air-conditioning unit 220V
- 220V Microwave oven
- Dishwasher - 6 persons 220 V
- Washer dryer 220 V
- 220V Ice maker
- Electric toilet (additional)
- Additional holding tank
- TV LED 32" on elevator in square - Player DVD / CD / MP3
- TV LED 22" lit in master cabin
- TV Antenna
- Carpet Touch Ivory

