Oceanis 48 Family

Inventory list - Europe







4 cabins - 3 head compartments



4 cabins - 4 head compartments



5 cabins - 3 head compartments

GENERAL SPECIFICATIONS

• L.O.A	14,60 m	*47'11"*
• Hull length	14,27 m	*46'10"*
• L.W.L.	13,86 m	*45'6"*
• Beam	4,74 m	*15'7"*
• Deep draught (min)	2,17 m	*7'1"*
• Deep ballast weight	3 550 kg	*7,824 lbs*
• Shallow draught (min)	1,96 m	*6'5"*
• Shallow ballast weight	4 060 kg	*8,948 lbs*
• Air draught (max)	19,53 m	*64'1"*
• Light displacement	12 594 kg	*27,757 lbs*
• Fuel capacity (standard)	200 l	*53 US Gal*
• Fuel capacity (Optional equipment)	200 l	*53 US Gal*
• Freshwater capacity (standard)	370 l	*98 US Gal*
• Freshwater capacity (Optional equipment)	320 l	*85 US Gal*
• Engine power	75 HP POD 120	*75 HP* *POD 120*

ARCHITECT / DESIGNERS

- Naval Architect: Berret Racoupeau Yacht Design
- Interior design: Nauta Design

EC CERTIFICATE

- Category A - 11 persons
- Category B - 12 persons
- Category C - 14 persons

STANDARD SAIL LAYOUT AND AREA

• Mainsail (classic)	56,00 m²	*603 sq ft*
• Genoa (105 %)	56,00 m²	*603 sq ft*
• Asymmetric spinnaker	130,00 m²	*1,400 sq ft*
• I	18,75 m	*61'6"*
• J	6,06 m	*19'11"*
• P	17,09 m	*56'1"*
• E	5,55 m	*18'3"*

Oceanis 48 Family

Inventory list - Europe

STANDARD EQUIPMENT

CONSTRUCTION

- Design in accordance with European Directive requirements and according to EC certification
- Monolithic hull design in polyester
- Monolithic structural inner moulding bonded to the hull
- Injection moulded deck in glass fibre/balsa sandwich, covered with «diamond-point» non-slip coating
- Deck hull joint screwed, bonded and banded with 1 solid wood bulwark
- Cast iron keel fixed with bolts and stainless steel backing plates
- Rudder hung with glass compound stock
- White coloured hull - Grey metal hull graphics

DECK EQUIPMENT

RIGGING

- Standard mast 9/10 electro-polished aluminium installed on the deck, 2 aft-swept spreaders
- Anodised aluminium boom
- Discontinuous stainless steel standing rigging
- 2 Backstays with bottlescrews
- Rigid boom vang with tackle
- Genoa furling system with drum on the deck
- 2 Blocks Stand Up on mainsheet arch
- 2 genoa tracks with piston adjusted traveller cars
- 2 Genoa sheet return blocks
- Rigging run back to cockpit (except boom topping lift)
- Complete running rigging: Main halyard, genoa halyard with clutch on mast and cleat, Boom topping lift with cleat on mast, Mainsheet, 2 Genoa sheets 2 rapid reefing lines, 1 manual reef
- 8 Jammers
- 2 halyard bags

WINCHES

- 2 Self-tailing genoa sheet winches (H60.2 STC)
- 2 Self tailing coachroof winches (H46.2 STC)
- 2 Aluminium winch handles Speed Grip
- 2 Winch handle boxes

SAILS

- Furling genoa with UV protective strip
- Semi full batten written sail with slider and roller slider
- System: Lazy Jack and Lazy Bag in Natural colour

MOORING LINES - MOORING

- Self-bailing chain locker - Clench bolt - Hatch cover
- Stainless steel bow fitting 2 rollers
- 12 V - 1500 W Vertical electrical windlass - Remote control
- 6 Aluminium mooring cleats - Stainless steel deck line protection

SAIL LOCKER

- Access through deck hatch T60
- Stainless steel ladder
- Shelving

SAFETY ON DECK

- 1 Open stainless steel forward pulpit
- 2 Stainless steel aft pushpits
- 1 Lifebuoy support bracket
- 1 Outboard engine bracket
- 1 Flag pole socket
- Double guardrail and stainless steel stanchions - Opening to port and to starboard in guardrail

COCKPIT

- Self-draining cockpit
- 2 Cockpit locker
- 2 Lockers in cockpit sole beneath helm's feet
- 1 Liferaft locker under helm seat
- 1 Gas locker for bottle(s) under the port helm seat
- Natural solid wood slatted cockpit benches
- 2 Steering wheel consoles: Stainless steel steering wheels - 900 mm diameter - leather covered - Steering gear at the helm station - metal cable transmission system - Stainless steel handrail - navigation instrument support (optional instruments) - Glass holder
- 1 Deck hole for access to tiller system + Power supply access hatch
- 1 Tiller
- 2 Steering compass on binacle
- Portside engine control and control panel
- Polyester cockpit table - 2 flaps - oddments locker - central bottle holder - Stainless steel handrail - 12 V socket - lamp with shade
- Cold water cockpit shower hose
- 1 Fixed composite arch - Built-in lighting
- 1 Shore power socket to port
- 2 Hinged PMMA companionway doors - Sliding hatch made of PMMA

SWIM DECK / STERN DECK

- Fully opening transom, convertible to bathing platform (2,85 m x 0,77 m / *9'4'' x 2'6''*)
- Electrically controlled opening
- Natural solid wood decking on sun deck
- 1 Stainless steel swim/boarding ladder - solid wood steps - folding

INTERIOR

- Woodwork Alpi Mahogany
- Parquet type laminated floors
- Fabric hull linings in saloon and cabins
- Fabric upholstery
- Marine mattresses in the cabins

COMPANIONWAY

- Headroom: 1,98 m / *6'6''*
- Wooden saloon companionway with moulded wood suspended steps with non-slip surface
- 2 Leather covered stainless steel handrails

SALOON

- Headroom: 1,98 m / *6'6''*
- U shaped saloon bench - double density foam
- Locker seat with back rest on pantograph - with backrest
- Saloon table in 1 piece - Varnished wood top with inlay - Aluminium legs
- Mirror on bulkhead
- Cupboards - Shelves and stowage along the hull - Storage under bench seats
- Shelves with stainless steel fiddles
- 2 Panoramic deck house windows with concertina blinds
- 2 Hull portholes with curtain
- 2 Opening portholes on coaming in side windows
- 3 flush deck hatches with blinds / Mosquito net

CHART TABLE - PORT SIDE

- Table with flap - Moulded wood fiddle
- Switch panel on bulkhead for access to electrical functions
- 1 White reading light / Red

Oceanis 48 Family

Inventory list - Europe

GALLEY - PORT SIDE

- Headroom: 1,98 m / *6'6''*
- U-shaped galley
- Compact grey laminated worktop
- 1 Stainless steel sink 2 rectangular basins - 1 Mixer tap cold water / hot water, under pressure
- 1 Gas cooker 2 burners - Stainless steel oven on mountings - Stainless steel protection handrail
- 1 12 V 100 litre ice box / *26 US Gal*, top opening
- 1 12 V 130 litre refrigerator / *34 US Gal,* front opening
- Fitted lockers and closed shelving (Shelving, Bin)
- 1 Base cabinet: 1 Drawer - 2 shelves
- Storage space along the hull
- 2 Opening ports on coaming with curtains on side windows

2 SYMMETRICAL FORWARD CABINS

- Headroom: 1,92 m / *6'4''*
- Central double bed (1,38 m x 0,75 m x 2,10 m / *4'6'' x 2'6'' x 6'11''*)
- Hanger closets - Cubby hole locker - Base cabinet
- 1 flush deck hatch with blind / Mosquito net
- 1 Hull porthole with curtain
- Access door for the washroom

2 FORWARD HEAD COMPARTMENT

2 symmetrical washrooms each with:

- Headroom: 1,92 m / *6'4''*
- Access through foward cabin
- 1 Manual marine toilet
- 1 Rigid holding tank 64L / *17 US Gal* (optional)
- Basin - Mixer tap hot water / Cold water
- Shower hose
- 1 Mirror
- Toilet accessories
- Stowage
- 1 Opening deck hatch with blind / Mosquito net

2 AFT CABINS

2 Cabins each with:

- Headroom: 1,86 m / *6'1''*
- Double bed (1,55 m x 1,35 m x 2,05 m / *5'1'' x 4'5'' x 6'9''*)
- Cupboard - Hanging locker - Stowage
- Storage space along the full length of the bed
- Access door for the washroom
- 1 Large size hull port with curtain
- 1 flush deck hatch with blind / Mosquito net
- 1 Opening cockpit port with curtain
- 1 Cockpit windows with curtains

PORT WASHROOM AFT

2 Cabins each with:

- Headroom: 1,92 m / *6'4''*
- Access via the cabin and the galley (for use as a toilet during the day)
- Manual marine toilet
- 1 Rigid holding tank 64L / *17 US Gal* (optional)
- Basin - Mixer tap hot water / Cold water
- Shower hose
- 1 Mirror
- Toilet accessories
- Stowage
- 1 Opening deck hatch with blind / Mosquito net

Version 4 cabins - 4 head compartments

STARBOARD AFT HEAD COMPARTMENT

- Headroom: 1,92 m / *6'4''*
- Access through saloon and the starboard aft cabin
- Separate shower - 1 Mixer tap hot water / Cold water - Stowage on bulkhead
- 1 Manual marine toilet
- 1 Rigid holding tank 64L / *17 US Gal*
- Basin - 1 Mixer tap hot water / Cold water
- 2 Mirrors
- Toilet accessories
- 1 Opening portlight with curtains in side windows in the coaming

Version 5 cabins - 2 head compartments

STARBOARD SIDE CABIN

- Headroom: 1,92 m / *6'4''*
- 2 Bunk beds: Top bunk (1,98 m x 0,76 m / *6'6'' x 2'6''*) - Bottom bunk (1,98 m x 0,62 m / *6'6'' x 2'*)
- Top bunk raises up to allow more space
- Storage
- 1 Opening porthole with curtain

Version 4 cabins - 3 head compartments

1 Head compartment to starboard for the aft cabins.
The galley is installed to port.
This configuration gives the advantage of a modulable chart table with two seats to port.
The saloon is opposite it to starboard.

Oceanis 48 Family

Inventory list - Europe

ENGINE

- Engine Yanmar Diesel 75 hp / *75 HP* Sail Drive or POD 120 Dock & Go
- Engine control - Control panel in the port cockpit
- Engine compartment: Soundproofing foam - Ventilation: 1 air intake and 1 pressured air outlet
- 1 Alternator 12 V / 80 Ah
- 1 Rotomoulded diesel tank 200 L / *53 US Gal* (under port aft berth) - Electronic gauge - Low level alarm - 1 Deck filler
- Filters: Sea water - Diesel - Decanter
- Fixed three blades propeller
- 1 Engine access through companionway (opening with 2 gas struts) - 2 Engine access through aft cabins

ELECTRICITY

- 12 V circuit
- 2 service batteries (140 Ah) - 1 Engine battery (110 Ah)
- 1 Power distributor
- 12 V Electrical panel (Fuses - Voltmeter - Water gauge - Fuel gauge - Battery warning - Fuel warning - Water warning)
- 1 12 V Sockets
- Lighting: Overhead lights - Reading lights - Reading light White/red
- Navigation lights: 1 Forward and aft navigation lights - 1 Engine navigation light / Spreader light forward of mast - 1 Anchor light on masthead
- Wire runs for options cables
- Full 220 V system (Interior sockets 220 V, 40 Amperes battery charger, Shore power socket)

PLUMBING

- 1 rotomoulded freshwater tank (330 l / *87 US Gal* Forward cabin) - 1 Deck filler - Separate tank filling (if spare tank option) - Tank selection with ¼ by-pass valves
- Pressurised electric water pump - Expansion tank - Inline filter
- 40 L Electric water heater / *11 US Gal* (engine run)
- 1 Rigid holding tank 64L / *17 US Gal*
- Delayed shower draining and electric shower drain pumps
- 1 Electric bilge pump - 1 Manual bilge pump
- 1 Electric ice box drain pump

GAS

- 1 Gas bottle box in the cockpit (Diameter 0,34 m x 0,53 m / *1'1'' x 1'9''*)
- Regulator and safety tap

Oceanis 48 Family

Inventory list - Europe

TRIM LEVEL

	AVANTAGE	ELEGANCE
B&G Electronic - Helm consoles to port and starboard : 1 Multifunction screen Zeus T7 (GPS - Chart plotter - Chart reader - Without chart - Cartography Navionics Silver included)	■	■
B&G Electronic : Wind Sensor (Windvane, Anenometer)	■	■
Cockpit sole natural solid wood	■	■
Galley: Sea water foot pump + Fresh water	■	■
LED: Navigation light - Interior lighting	■	■
Saloon & Cabins: Indirect lighting LED	■	■
Cockpit shower hot - Cold water	■	■
Additional diesel tank (200 l / *53 US Gal*)	■	■
SonicHub (Radio, Dock IPHONE®, USB) - Interior loudspeakers - Exterior loudspeakers	■	■
2 140 amperes additional service batteries + 1 40 Amperes battery charger additional	■	■
Releasable fore-stay chain-plate		■
1 Port electric coachroof winch H46.2 STCE UNIPOWER		■
Polyester/wood cockpit table - White PVC protective cover		■
Galley: Top opening 12 V cool box in ice box - Freezer		■
Galley: Stainless steel 3 burner oven/grill cooker on deluxe mounting		■

PACKS

	DOCKING	EASY DOCKING	ELECTRONIC B&G
Windlass control in cockpit with chain counter	■	■	
White PVC steering wheel covers	■	■	
Moorings lines, Mooring, Fenders	■	■	
Bow thruster		■	
Swivel base on reverse side of cockpit table			■
Cockpit: Multifunction color touchscreen B&G NSS12 LED 12" (GPS, Chart plotter, Chart reader - Without chart - Cartography Navionics Silver included)			■

VERSION

	DOCK & GO
Engine YANMAR Diesel Dock & Go POD 120	■
Swivel Sail Drive base	■
Joystick	■
Vessel Management Unit (VMU)	■
Bow thruster	■
Auto pilot	■

Oceanis 48 Family

Inventory list - Europe

OPTIONS

Navigation electronics B&G

- 4G Radar
- Auto pilot AC 42
- Zeus T7 additional multifonction screen - Chart table
- WR 20 Wireless autopilot remote control
- Fixed RS35 VHF, function AIS receiver - Chart table + Wireless receiver
- AIS 400

Rigging - Sails

- 2 flag halyards
- Asymmetric spinnaker gear
- Code 0 on furler
- Removable forestay
- Anodised mast furling system with mainsail
- Easy Sail (Genoa traveller adjustment from cockpit, Clutches on genoa sheet blocks, Backstay adjustment*)

Winches

- 2 Electric genoa sheet winches H 60.2 STCEH

Hull - Deck

- Blue-grey hull
- Solid wood slatted catwalks
- Silver Coachroof sprayhood
- Silver Cockpit Bimini
- Silver Cockpit cushions
- 3 retractable blades propeller
- Refrigerated ice-box in cockpit table (30 L / *8 US Gal*) - Positive cold
- Windex Windvane
- White composite steering wheel
- Folding removable gangway
- Stainless steel Arch with davits

Interior equipment

- Water maker 60 l / *16 US Gal*/h
- 6 KVA 220 V / 50 Hz ONAN Generator - with cocoon
- Dishwasher
- 220v air conditioning
- Forced air heating fuel
- Microwave oven
- Double berth in saloon
- Slat mattresses
- Additional holding tank
- QUIET FLUSH electric toilet
- Extra water tank 2 x 160 L / *2 x 42 US Gal*
- TV LCD 26'' + DVD/MP3 player in the saloon
- TV LCD 26'' + DVD and MP3 player in master cabin
- Mosquito nets to port
- Inverter 12V / 220V 2000VA
- De luxe folding saloon table (double berth compatible)
- Light white laminate floors

** Except on mast with in-mast furling**

15/07/2013 Code Beneteau 10202 (N) Eng Descriptions, illustrations, etc are provided only for your guidance. Our models may undergo some standard modifications or improvements without notice